

# XLamp® MX-3 LEDs



### **PRODUCT DESCRIPTION**

The XLamp® MX-3 LED provides the proven • lighting-class performance and reliability of XLamp LEDs in a flat-top PLCC package. • The XLamp MX-3 LED continues Cree LED's • history of innovation in LEDs for lighting . applications with a wide viewing angle, . unlimited floor life, uniform light output . without secondary optics and electrically • UL® recognized component (E349212) neutral thermal path.

The XLamp MX-3 LED brings high performance and quality of light to a wide range of lighting applications, including linear lighting, LED light bulbs, fluorescent retrofits and retail-display lighting.

### **FEATURES**

- Available in white (2600 K to 8300 K CCT)
- Maximum drive current: 500 mA
- Wide viewing angle: 120°
- Electrically neutral thermal path
- Qualification at maximum drive current
- RoHS and REACH compliant

### **TABLE OF CONTENTS**

Characteristics2
Flux Characteristics
Flux Characteristics - Cool White 3
Flux Characteristics - Warm White 4
Relative Spectral Power Distribution 6
Relative Flux vs. Junction Temperature 6
Electrical Characteristics 7
Relative Flux vs. Current 7
Typical Spatial Distribution 8
Thermal Design8
Performance Groups - Brightness 9
Performance Groups - Forward Voltage 9
Performance Groups - Chromaticity 10
Standard Chromaticity Regions Plotted on
the 1931 CIE Curve 13
Bin and Order-Code Formats14
Reflow Soldering Characteristics15
Notes 16
Mechanical Dimensions 18
Tape and Reel19
Packaging 20



Cree LED / 4001 E. Hwy. 54, Suite 2000 / Durham, NC 27713 USA / +1.919.313.5330 / www.cree-led.com



### **CHARACTERISTICS**

Characteristics	Unit	Minimum	Typical	Maximum
Thermal resistance, junction to solder point	°C/W		11	
Viewing angle (FWHM)	degrees		120	
Temperature coefficient of voltage	mV/ °C		-2.7	
ESD classification (HBM per Mil-Std-883D)			Class 3B	
DC forward current	mA			500
Reverse voltage	V			1
Reverse current	mA			-0.1
Forward voltage (@ 350 mA)	V		3.7	4.0
LED junction temperature	°C			150



# FLUX CHARACTERISTICS - COOL WHITE (T $_{\rm J}$ = 25 °C)

The following tables provide order codes for XLamp MX-3 LEDs. For a complete description of the order-code nomenclature, please consult the Bin and Order Code Formats section (page 14).

Minimum Luminous Flux @ 350 mA  Calculated Minimum Luminous Flux @ 300 mA*		Minimum Luminous Flux	Chromaticity Regions	Order Code	сст
Group	Flux (lm)	Flux (lm)			
			2C,2D,2U,2T,3A,3B,3C,3D,3R,3S,3T,3U,4A,4B,4R,4S	MX3AWT-A1-0000-000ADZ	5000 K
			3A,3B,3C,3D,4A,4B,4C,4D	MX3AWT-A1-0000-000AB1	4750 K
02	87.4	77	3A,3B,3C,3D	MX3AWT-A1-0000-000AE3	5000 K
Q2	07.4	//	3C,3D,4A,4B	MX3AWT-A1-0000-000AF4	4750 K
			4A,4B,4C,4D	MX3AWT-A1-0000-000AE4	4500 K
			4C,4D,5A1,5A2,5A3,5A4,5B1,5B2,5B3,5B4	MX3AWT-A1-0000-000AF5	4300 K
			0A,0B,0C,0D,0R,0S,0T,0U,1A,1B,1C,1D,1R,1S,1T,1U,2A,2B,2C,2D,2R,2S,2T,2U,3A,3B,3R,3S	MX3AWT-A1-0000-000B51	6500 K
			1A,1B,1C,1D,1R,1S,1T,1U,2A,2B,2C,2D,2R,2S,2T,3A,3B,3S	MX3AWT-A1-0000-000B53	6000 K
			1A,1B,1C,1D,2A,2B,2C,2D	MX3AWT-A1-0000-000B50	6000 K
			2C,2D,2U,2T,3A,3B,3C,3D,3R,3S,3T,3U,4A,4B,4R,4S	MX3AWT-A1-0000-000BDZ	5000 K
Q3	93.9	82	3A,3B,3C,3D,4A,4B,4C,4D	MX3AWT-A1-0000-000BB1	4750 K
			3A,3B,3C,3D	MX3AWT-A1-0000-000BE3	5000 K
			3C,3D,4A,4B	MX3AWT-A1-0000-000BF4	4750 K
			4A,4B,4C,4D	MX3AWT-A1-0000-000BE4	4500 K
			4C,4D,5A1,5A2,5A3,5A4,5B1,5B2,5B3,5B4	MX3AWT-A1-0000-000BF5	4300 K
			0A,0B,0C,0D,0R,0S,0T,0U,1A,1B,1C,1D,1R,1S,1T,1U,2A,2B,2C,2D,2R,2S,2T,2U,3A,3B,3R,3S	MX3AWT-A1-0000-000C51	6500 K
			1A,1B,1C,1D,1R,1S,1T,1U,2A,2B,2C,2D,2R,2S,2T,3A,3B,3S	MX3AWT-A1-0000-000C53	6000 K
			1A,1B,1C,1D,2A,2B,2C,2D	MX3AWT-A1-0000-000C50	6000 K
04	100	87	2C,2D,2U,2T,3A,3B,3C,3D,3R,3S,3T,3U,4A,4B,4R,4S	MX3AWT-A1-0000-000CDZ	5000 K
QT	100	07	3A,3B,3C,3D	MX3AWT-A1-0000-000CE3	5000 K
			3C,3D,4A,4B	MX3AWT-A1-0000-000CF4	4750 K
			4A,4B,4C,4D	MX3AWT-A1-0000-000CE4	4500 K
			4C,4D,5A1,5A2,5A3,5A4,5B1,5B2,5B3,5B4	MX3AWT-A1-0000-000CF5	4300 K
			0A,0B,0C,0D,0R,0S,0T,0U,1A,1B,1C,1D,1R,1S,1T,1U,2A,2B,2C,2D,2R,2S,2T,2U,3A,3B,3R,3S	MX3AWT-A1-0000-000D51	6500 K
			1A,1B,1C,1D,1R,1S,1T,1U,2A,2B,2C,2D,2R,2S,2T,3A,3B,3S	MX3AWT-A1-0000-000D53	6000 K
			1A,1B,1C,1D,2A,2B,2C,2D	MX3AWT-A1-0000-000D50	6000 K
Q5	107	93.9	2C,2D,2U,2T,3A,3B,3C,3D,3R,3S,3T,3U,4A,4B,4R,4S	MX3AWT-A1-0000-000DDZ	5000 K
			3A,3B,3C,3D	MX3AWT-A1-0000-000DE3	5000 K
			3C,3D,4A,4B	MX3AWT-A1-0000-000DF4	4750 K
			4A,4B,4C,4D	MX3AWT-A1-0000-000DE4	4500 K

### Notes:

- Cree LED maintains a tolerance of ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and ±2 on CRI measurements. See the Measurements section (page 16).
- XLamp MX-3 LED order codes specify only a minimum flux bin and not a maximum. Cree LED may ship reels in flux bins higher than the minimum specified by the order code without advance notice. Shipments will always adhere to the chromaticity or DWL bin restrictions specified by the order code.
- Typical CRI for Cool White (4300 K 8300 K CCT) is 75.
- Typical CRI for Warm White (2600 K 4300 K CCT) is 80.
- Calculated values for reference purposes only.



# FLUX CHARACTERISTICS - COOL WHITE (T $_{\! \scriptscriptstyle J}$ = 25 $^{\circ}\text{C})$ - CONTINUED

Lumino	imum ous Flux 50 mA	Calculated Minimum Luminous Flux @ 300 mA*	Chromaticity Regions	Order Code	сст
Group	Flux (lm)	Flux (lm)			
			0A,0B,0C,0D,0R,0S,0T,0U,1A,1B,1C,1D,1R,1S,1T,1U,2A,2B,2C,2D,2R,2S,2T,2U,3A,3B,3R,3S	MX3AWT-A1-0000-000E51	6500 K
R2	R2 114 100		1A,1B,1C,1D,1R,1S,1T,1U,2A,2B,2C,2D,2R,2S,2T,3A,3B,3S	MX3AWT-A1-0000-000E53	6000 K
			1A,1B,1C,1D,2A,2B,2C,2D	MX3AWT-A1-0000-000E50	6000 K

# FLUX CHARACTERISTICS - WARM WHITE ( $T_J = 25$ °C)

Luminous Flux  250 mA  Luminous		Calculated Minimum Luminous Flux @ 300 mA*	Chromaticity Regions	Order Code	сст	
Group	Flux (lm)	Flux (lm)				
P2	67.2	59	7C1,7C2,7C3,7C4,7D1,7D2,7D3,7D4,8A1,8A2,8A3,8A4,8B1,8B2,8B3,8B4	MX6AWT-A1-0000-0007F8	2900 K	
PZ	67.2	59	8A1,8A2,8A3,8A4,8B1,8B2,8B3,8B4,8C1,8C2,8C3,8C4,8D1,8D2,8D3,8D4	MX6AWT-A1-0000-0007E8	2700 K	
			5C1,5C2,5C3,5C4,5D1,5D2,5D3,5D4,6A1,6A2,6A3,6A4,6B1,6B2,6B3,6B4	MX3AWT-A1-0000-0008F6	3700 K	
			6A1,6A2,6A3,6A4,6B1,6B2,6B3,6B4,6C1,6C2,6C3,6C4,6D1,6D2,6D3,6D4	MX3AWT-A1-0000-0008E6	3500 K	
P3	73 9	65	6C1,6C2,6C3,6C4,6D1,6D2,6D3,6D4,7A1,7A2,7A3,7A4,7B1,7B2,7B3,7B4	MX3AWT-A1-0000-0008F7	3200 K	
го	73.9	03	7A1,7A2,7A3,7A4,7B1,7B2,7B3,7B4,7C(1,7C2,7C3,7C4,7D1,7D2,7D3,7D4	MX3AWT-A1-0000-0008E7	3000 K	
			7C1,7C2,7C3,7C4,7D1,7D2,7D3,7D4,8A1,8A2,8A3,8A4,8B1,8B2,8B3,8B4	MX3AWT-A1-0000-0008F8	2900 K	
			8A1,8A2,8A3,8A4,8B1,8B2,8B3,8B4,8C1,8C2,8C3,8C4,8D1,8D2,8D3,8D4	MX3AWT-A1-0000-0008E8	2700 K	
			5C1,5C2,5C3,5C4,5D1,5D2,5D3,5D4,6A1,6A2,6A3,6A4,6B1,6B2,6B3,6B4	MX3AWT-A1-0000-0009F6	3700 K	
			6A1,6A2,6A3,6A4,6B1,6B2,6B3,6B4,6C1,6C2,6C3,6C4,6D1,6D2,6D3,6D4	MX3AWT-A1-0000-0009E6	3500 K	
P4	00.6	70	6C1,6C2,6C3,6C4,6D1,6D2,6D3,6D4,7A1,7A2,7A3,7A4,7B1,7B2,7B3,7B4	MX3AWT-A1-0000-0009F7	3200 K	
P4	80.6	80.6	70	7A1,7A2,7A3,7A4,7B1,7B2,7B3,7B4,7C1,7C2,7C3,7C4,7D1,7D2,7D3,7D4	MX3AWT-A1-0000-0009E7	3000 K
				7C1,7C2,7C3,7C4,7D1,7D2,7D3,7D4,8A1,8A2,8A3,8A4,8B1,8B2,8B3,8B4	MX3AWT-A1-0000-0009F8	2900 K
			8A1,8A2,8A3,8A4,8B1,8B2,8B3,8B4,8C1,8C2,8C3,8C4,8D1,8D2,8D3,8D4	MX3AWT-A1-0000-0009E8	2700 K	
			4C,4D,5A1,5A2,5A3,5A4,5B1,5B2,5B3,5B4	MX3AWT-A1-0000-000AF5	4300 K	
			5A1,5A2,5A3,5A4,5B1,5B2,5B3,5B4,5C1,5C2,5C3,5C4,5D1,5D2,5D3,5D4	MX3AWT-A1-0000-000AE5	4000 K	
			5C1,5C2,5C3,5C4,5D1,5D2,5D3,5D4,6A1,6A2,6A3,6A4,6B1,6B2,6B3,6B4	MX3AWT-A1-0000-000AF6	3700 K	
00	07.4	76	6A1,6A2,6A3,6A4,6B1,6B2,6B3,6B4,6C1,6C2,6C3,6C4,6D1,6D2,6D3,6D4	MX3AWT-A1-0000-000AE6	3500 K	
Q2	87.4	76	6C1,6C2,6C3,6C4,6D1,6D2,6D3,6D4,7A1,7A2,7A3,7A4,7B1,7B2,7B3,7B4	MX3AWT-A1-0000-000AF7	3200 K	
			7A1,7A2,7A3,7A4,7B1,7B2,7B3,7B4,7C1,7C2,7C3,7C4,7D1,7D2,7D3,7D4	MX3AWT-A1-0000-000AE7	3000 K	
			7C1,7C2,7C3,7C4,7D1,7D2,7D3,7D4,8A1,8A2,8A3,8A4,8B1,8B2,8B3,8B4	MX3AWT-A1-0000-000AF8	2900 K	
			8A1,8A2,8A3,8A4,8B1,8B2,8B3,8B4,8C1,8C2,8C3,8C4,8D1,8D2,8D3,8D4	MX3AWT-A1-0000-000AE8	2700 K	

### Notes:

- Cree LED maintains a tolerance of ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and ±2 on CRI measurements. See the Measurements section (page 16).
- XLamp MX-3 LED order codes specify only a minimum flux bin and not a maximum. Cree LED may ship reels in flux bins higher than the minimum specified by the order code without advance notice. Shipments will always adhere to the chromaticity or DWL bin restrictions specified by the order code.
- Typical CRI for Cool White (4300 K 8300 K CCT) is 75.
- Typical CRI for Warm White (2600 K 4300 K CCT) is 80.
- Calculated values for reference purposes only.



# FLUX CHARACTERISTICS - WARM WHITE (T $_{\rm J}$ = 25 °C) - CONTINUED


Minimum Luminous Flux @ 350 mA  Calculated Minimum Luminous Flux @ 300 mA*		imum Minimum ous Flux Luminous Flux Chromaticity Regions		Order Code	сст
Group	Flux (lm)	Flux (lm)			
			4C,4D,5A1,5A2,5A3,5A4,5B1,5B2,5B3,5B4	MX3AWT-A1-0000-000BF5	4300 K
			5A1,5A2,5A3,5A4,5B1,5B2,5B3,5B4,5C1,5C2,5C3,5C4,5D1,5D2,5D3,5D4	MX3AWT-A1-0000-000BE5	4000 K
03	93.9	82	5C1,5C2,5C3,5C4,5D1,5D2,5D3,5D4,6A1,6A2,6A3,6A4,6B1,6B2,6B3,6B4	MX3AWT-A1-0000-000BF6	3700 K
Ų3	93.9	82	6A1,6A2,6A3,6A4,6B1,6B2,6B3,6B4,6C1,6C2,6C3,6C4,6D1,6D2,6D3,6D4	MX3AWT-A1-0000-000BE6	3500 K
			6C1,6C2,6C3,6C4,6D1,6D2,6D3,6D4,7A1,7A2,7A3,7A4,7B1,7B2,7B3,7B4	MX3AWT-A1-0000-000BF7	3200 K
			7A1,7A2,7A3,7A4,7B1,7B2,7B3,7B4,7C1,7C2,7C3,7C4,7D1,7D2,7D3,7D4	MX3AWT-A1-0000-000BE7	3000 K
0.4	100	07	4C,4D,5A1,5A2,5A3,5A4,5B1,5B2,5B3,5B4	MX3AWT-A1-0000-000CF5	4300 K
Q4	Q4 100 87		5A1,5A2,5A3,5A4,5B1,5B2,5B3,5B4,5C1,5C2,5C3,5C4,5D1,5D2,5D3,5D4	MX3AWT-A1-0000-000CE5	4000 K

### Notes:


- Cree LED maintains a tolerance of ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and ±2 on CRI measurements. See the Measurements section (page 16).
- XLamp MX-3 LED order codes specify only a minimum flux bin and not a maximum. Cree LED may ship reels in flux bins higher than the minimum specified by the order code without advance notice. Shipments will always adhere to the chromaticity or DWL bin restrictions specified by the order code.
- Typical CRI for Cool White (4300 K 8300 K CCT) is 75.
- Typical CRI for Warm White (2600 K 4300 K CCT) is 80.
- Calculated values for reference purposes only.



### **RELATIVE SPECTRAL POWER DISTRIBUTION**




# RELATIVE FLUX VS. JUNCTION TEMPERATURE ( $I_F = 350 \text{ mA}$ )






# **ELECTRICAL CHARACTERISTICS (T<sub>J</sub> = 25 °C)**




# RELATIVE FLUX VS. CURRENT ( $T_J = 25$ °C)






### TYPICAL SPATIAL DISTRIBUTION





### **THERMAL DESIGN**

The maximum forward current is determined by the thermal resistance between the LED junction and ambient. It is crucial for the end product to be designed in a manner that minimizes the thermal resistance from the solder point to ambient in order to optimize lamp life and optical characteristics.





### **PERFORMANCE GROUPS - BRIGHTNESS**

MX-3 LEDs are tested for luminous flux and placed into one of the following luminous-flux groups:

Group Code	Minimum Luminous Flux (lm)	Maximum Luminous Flux (lm)
P2	67.2	73.9
P3	73.9	80.6
P4	80.6	87.4
Q2	87.4	93.9
Q3	93.9	100
Q4	100	107
Q5	107	114
R2	114	122
R3	122	130

### **PERFORMANCE GROUPS - FORWARD VOLTAGE**

MX-3 Group Code	Minimum Voltage @ 350 mA	Maximum Voltage @ 350 mA						
D	2.8	3.2						
Е	3.2	3.6						
F	3.6	4.0						
0	No V <sub>F</sub> Binning							



### **PERFORMANCE GROUPS - CHROMATICITY**

Region	х	у	Region	x	у	Region	x	у	Region	x	у
	0.2950	0.2970		0.2920	0.3060		0.2984	0.3133		0.2984	0.3133
0.4	0.2920	0.3060	OD	0.2895	0.3135	00	0.2962	0.3220	0.0	0.3048	0.3207
0A	0.2984	0.3133	0B	0.2962	0.3220	0C	0.3028	0.3304	0D	0.3068	0.3113
	0.3009	0.3042		0.2984	0.3133		0.3048	0.3207		0.3009	0.3042
	0.2980	0.2880		0.2895	0.3135		0.2962	0.3220		0.3037	0.2937
0R	0.2950	0.2970	0S	0.2870	0.3210	0T	0.2937	0.3312	0U	0.3009	0.3042
UK	0.3009	0.3042	03	0.2937	0.3312	01	0.3005	0.3415	00	0.3068	0.3113
	0.3037	0.2937		0.2962	0.3220		0.3028	0.3304		0.3093	0.2993
	0.3048	0.3207		0.3028	0.3304		0.3115	0.3391		0.3130	0.3290
1A	0.3130	0.3290	1B	0.3115	0.3391	1C	0.3205	0.3481	1D	0.3213	0.3373
IA	0.3144	0.3186	ID	0.3130	0.3290	10	0.3213	0.3373	10	0.3221	0.3261
	0.3068	0.3113		0.3048	0.3207		0.3130	0.3290		0.3144	0.3186
	0.3068	0.3113		0.3005	0.3415		0.3099	0.3509		0.3144	0.3186
1R	0.3144	0.3186	18	0.3099	0.3509	1T	0.3196	0.3602	1U	0.3221	0.3261
IIX	0.3161	0.3059	13	0.3115	0.3391	11	0.3205	0.3481	10	0.3231	0.3120
	0.3093	0.2993		0.3028	0.3304		0.3115	0.3391		0.3161	0.3059
	0.3215	0.3350		0.3207	0.3462		0.3290	0.3538	2D	0.3290	0.3417
2A	0.3290	0.3417	2B	0.3290	0.3538	2C	0.3376	0.3616		0.3371	0.3490
ZA	0.3290	0.3300	ZD	0.3290	0.3417		0.3371	0.3490		0.3366	0.3369
	0.3222	0.3243		0.3215	0.3350		0.3290	0.3417		0.3290	0.3300
	0.3222	0.3243		0.3196	0.3602		0.3290	0.3690		0.3290	0.3300
2R	0.3290	0.3300	28	0.3290	0.3690	2T	0.3381	0.3762	2U	0.3366	0.3369
ZN	0.3290	0.3180	23	0.3290	0.3538	21	0.3376	0.3616	20	0.3361	0.3245
	0.3231	0.3120		0.3207	0.3462		0.3290	0.3538		0.3290	0.3180
	0.3371	0.3490		0.3376	0.3616		0.3463	0.3687		0.3451	0.3554
3A	0.3451	0.3554	3B	0.3463	0.3687	3C	0.3551	0.3760	3D	0.3533	0.3620
3A	0.3440	0.3427	35	0.3451	0.3554	30	0.3533	0.3620	30	0.3515	0.3487
	0.3366	0.3369		0.3371	0.3490		0.3451	0.3554		0.3440	0.3427
	0.3366	0.3369		0.3381	0.3762		0.3480	0.3840		0.3440	0.3428
3R	0.3440	0.3428	3S	0.3480	0.3840	3T	0.3571	0.3907	3U	0.3515	0.3487
SIX	0.3429	0.3307	33	0.3463	63 0.3687	31	0.3551	0.3760	30	0.3495	0.3339
	0.3361	0.3245		0.3376	0.3616		0.3463	0.3687		0.3429	0.3307
	0.3530	0.3597		0.3548	0.3736		0.3641	0.3804		0.3615	0.3659
4A	0.3615	0.3659	4B	0.3641	0.3804	4C	0.3736	0.3874	4D	0.3702	0.3722
4A	0.3590	0.3521	4D	0.3615	0.3659	40	0.3702	0.3722	40	0.3670	0.3578
	0.3512	0.3465		0.3530	0.3597		0.3615	0.3659		0.3590	0.3521



# PERFORMANCE GROUPS - CHROMATICITY (CONTINUED)

Region	x	у									
	0.3512	0.3465		0.3571	0.3907		0.3668	0.3957		0.3590	0.3521
45	0.3590	0.3521	40	0.3668	0.3957	4.7	0.3771	0.4034	411	0.3670	0.3578
4R	0.3567	0.3389	4S	0.3641	0.3804	4T	0.3736	0.3874	4U	0.3640	0.3440
	0.3495	0.3339		0.3548	0.3736		0.3641	0.3804		0.3567	0.3389
	0.3670	0.3578		0.3686	0.3649		0.3744	0.3685		0.3726	0.3612
FA1	0.3686	0.3649	FA0	0.3702	0.3722	FA0	0.3763	0.3760	F A 4	0.3744	0.3685
5A1	0.3744	0.3685	5A2	0.3763	0.3760	5A3	0.3825	0.3798	5A4	0.3804	0.3721
	0.3726	0.3612		0.3744	0.3685		0.3804	0.3721		0.3783	0.3646
	0.3702	0.3722		0.3719	0.3797		0.3782	0.3837		0.3763	0.3760
5B1	0.3719	0.3797	5B2	0.3736	0.3874	5B3	0.3802	0.3916	5B4	0.3782	0.3837
201	0.3782	0.3837	562	0.3802	0.3916	353	0.3869	0.3958	364	0.3847	0.3877
	0.3763	0.3760		0.3782	0.3837		0.3847	0.3877		0.3825	0.3798
	0.3825	0.3798		0.3847	0.3877		0.3912	0.3917		0.3887	0.3836
5C1	0.3847	0.3877	5C2	0.3869	0.3958	5C3	0.3937	0.4001	5C4	0.3912	0.3917
301	0.3912	0.3917	302	0.3937	0.4001	505	0.4006	0.4044	304	0.3978	0.3958
	0.3887	0.3836		0.3912	0.3917		0.3978	0.3958		0.3950	0.3875
	0.3783	0.3646		0.3804	0.3721		0.3863	0.3758		0.3840	0.3681
5D1	0.3804	0.3721	5D2	0.3825	0.3798	502	0.3887	0.3836	5D4	0.3863	0.3758
301	0.3863	0.3758	JDZ	0.3887	0.3836	5D3	0.3950	0.3875		0.3924	0.3794
	0.3840	0.3681		0.3863	0.3758		0.3924	0.3794		0.3898	0.3716
	0.3889	0.3690		0.3915	0.3768		0.3981	0.3800		0.3953	0.3720
6A1	0.3915	0.3768	6A2	0.3941	0.3848	0.4010	0.3882	6A4	0.3981	0.3800	
OAT	0.3981	0.3800	UAZ	0.4010	0.3882	UAS	0.4080	0.3916	UA4	0.4048	0.3832
	0.3953	0.3720		0.3981	0.3800		0.4048	0.3832		0.4017	0.3751
	0.3941	0.3848		0.3968	0.3930		0.4040	0.3966		0.4010	0.3882
6B1	0.3968	0.3930	6B2	0.3996	0.4015	6B3	0.4071	0.4052	6B4	0.4040	0.3966
ODT	0.4040	0.3966	ODZ	0.4071	0.4052	003	0.4146	0.4089	004	0.4113	0.4001
	0.4010	0.3882		0.4040	0.3966		0.4113	0.4001		0.4080	0.3916
	0.4080	0.3916		0.4113	0.4001		0.4186	0.4037		0.4150	0.3950
6C1	0.4113	0.4001	6C2	0.4146	0.4089	6C3	0.4222	0.4127	6C4	0.4186	0.4037
001	0.4186	0.4037	002	0.4222	0.4127	000	0.4299	0.4165	004	0.4259	0.4073
	0.4150	0.3950		0.4186	0.4037		0.4259	0.4073		0.4221	0.3984
	0.4017	0.3751		0.4048	0.3832		0.4116	0.3865		0.4082	0.3782
6D1	0.4048	0.3832	6D2	0.4080	0.3916	6D3	0.4150	0.3950	6D4	0.4116	0.3865
OD I	0.4116	0.3865	UDZ	0.4150	0.3950	050	0.4221	0.3984	054	0.4183	0.3898
	0.4082	0.3782		0.4116	0.3865		0.4183	0.3898		0.4147	0.3814
	0.4147	0.3814		0.4183	0.3898		0.4242	0.3919		0.4203	0.3833
7A1	0.4183	0.3898	7A2	0.4221	0.3984	7A3	0.4281	0.4006	7A4	0.4242	0.3919
7/41	0.4242	0.3919	/AZ	0.4281	0.4006	743	0.4342	0.4028	774	0.4300	0.3939
	0.4203	0.3833		0.4242	0.3919		0.4300	0.3939		0.4259	0.3853





## PERFORMANCE GROUPS - CHROMATICITY (CONTINUED)

Region	х	у	Region	х	у	Region	x	у	Region	x	у
	0.4221	0.3984		0.4259	0.4073		0.4322	0.4096		0.4281	0.4006
701	0.4259	0.4073	700	0.4299	0.4165	700	0.4364	0.4188	704	0.4322	0.4096
7B1	0.4322	0.4096	7B2	0.4364	0.4188	7B3	0.4430	0.4212	7B4	0.4385	0.4119
	0.4281	0.4006		0.4322	0.4096		0.4385	0.4119		0.4342	0.4028
	0.4342	0.4028		0.4385	0.4119		0.4449	0.4141		0.4403	0.4049
7C1	0.4385	0.4119	7C2	0.4430	0.4212	7C3	0.4496	0.4236	7C4	0.4449	0.4141
701	0.4449	0.4141	762	0.4496	0.4236	703	0.4562	0.4260	704	0.4513	0.4164
	0.4403	0.4049		0.4449	0.4141		0.4513	0.4164		0.4465	0.4071
	0.4259	0.3853		0.4300	0.3939		0.4359	0.3960		0.4316	0.3873
7D1	0.4300	0.3939	7D2	0.4342	0.4028	7D3	0.4403	0.4049	7D4	0.4359	0.3960
701	0.4359	0.3960	702	0.4403	0.4049	703	0.4465	0.4071	704	0.4418	0.3981
	0.4316	0.3873		0.4359	0.3960		0.4418	0.3981		0.4373	0.3893
	0.4373	0.3893		0.4418	0.3981		0.4475	0.3994		0.4428	0.3906
8A1	0.4418	0.3981	8A2	0.4465	0.4071	8A3	0.4523	0.4085	8A4	0.4475	0.3994
OAT	0.4475	0.3994	OAZ	0.4523	0.4085	OAS	0.4582	0.4099	0A4	0.4532	0.4008
	0.4428	0.3906		0.4475	0.3994		0.4532	0.4008		0.4483	0.3919
	0.4465	0.4071		0.4513	0.4164		0.4573	0.4178		0.4523	0.4085
8B1	0.4513	0.4164	8B2	0.4562	0.4260	8B3	0.4624	0.4274	8B4	0.4573	0.4178
001	0.4573	0.4178	ODZ	0.4624	0.4274	000	0.4687	0.4289	004	0.4634	0.4193
	0.4523	0.4085		0.4573	0.4178		0.4634	0.4193		0.4582	0.4099
	0.4582	0.4099		0.4634	0.4193		0.4695	0.4207		0.4641	0.4112
8C1	0.4634	0.4193	8C2	0.4687	0.4289	8C3	0.4750	0.4304	8C4	0.4695	0.4207
001	0.4695	0.4207	002	0.4750	0.4304	003	0.4813	0.4319	004	0.4756	0.4221
	0.4641	0.4112		0.4695	0.4207		0.4756	0.4221		0.4700	0.4126
	0.4483	0.3919		0.4532	0.4008		0.4589	0.4021		0.4538	0.3931
8D1	0.4532	0.4008	8D2	0.4582	0.4099	8D3	0.4641	0.4112	8D4	0.4589	0.4021
ועס	0.4589	0.4021	ODZ	0.4641	0.4112	טעט	0.4700	0.4126	004	0.4646	0.4034
	0.4538	0.3931		0.4589	0.4021		0.4646	0.4034		0.4593	0.3944



### STANDARD CHROMATICITY REGIONS PLOTTED ON THE 1931 CIE CURVE








### **BIN AND ORDER-CODE FORMATS**

Bin codes and order codes are configured in the following manner:






### **REFLOW SOLDERING CHARACTERISTICS**

In testing, Cree LED has found XLamp MX-3 LEDs to be compatible with JEDEC J-STD-020C, using the parameters listed below. As a general guideline, Cree LED recommends that users follow the recommended soldering profile provided by the manufacturer of the solder paste used, and therefore it is the lamp or luminaire manufacturer's responsibility to determine applicable soldering requirements.

Note that this general guideline may not apply to all PCB designs and configurations of reflow soldering equipment.



Profile Feature	Lead-Free Solder
Average Ramp-Up Rate ( ${\rm Ts}_{\rm max}$ to ${\rm T_p}$ )	1.2 °C/second
Preheat: Temperature Min (Ts <sub>min</sub> )	120 °C
Preheat: Temperature Max (Ts <sub>max</sub> )	170 °C
Preheat: Time (ts <sub>min</sub> to ts <sub>max</sub> )	65-150 seconds
Time Maintained Above: Temperature (T <sub>L</sub> )	217 °C
Time Maintained Above: Time (t <sub>L</sub> )	45-90 seconds
Peak/Classification Temperature (Tp)	235 - 245 °C
Time Within 5 °C of Actual Peak Temperature (tp)	20-40 seconds
Ramp-Down Rate	1 - 6 °C/second
Time 25 °C to Peak Temperature	4 minutes max.

Note: All temperatures refer to the topside of the package, measured on the package body surface.



### **NOTES**

### Measurements

The luminous flux, radiant power, chromaticity, forward voltage and CRI measurements in this document are binning specifications only and solely represent product measurements as of the date of shipment. These measurements will change over time based on a number of factors that are not within Cree LED's control and are not intended or provided as operational specifications for the products. Calculated values are provided for informational purposes only and are not intended or provided as specifications.

### **Pre-Release Qualification Testing**

Please read the LED Reliability Overview for details of the qualification process Cree LED applies to ensure long-term reliability for XLamp LEDs and details of Cree LED's pre-release qualification testing for XLamp LEDs.

### **Lumen Maintenance**

Cree LED now uses standardized IES LM-80-08 and TM-21-11 methods for collecting long-term data and extrapolating LED lumen maintenance. For information on the specific LM-80 data sets available for this LED, refer to the public LM-80 results document.

Please read the Long-Term Lumen Maintenance application note for more details on Cree LED's lumen maintenance testing and forecasting. Please read the Thermal Management application note for details on how thermal design, ambient temperature, and drive current affect the LED junction temperature.

### **Moisture Sensitivity**

Cree LED recommends keeping XLamp MX-3 LEDs in the provided, resealable moisture-barrier packaging (MBP) until immediately prior to soldering. Unopened MBPs that contain XLamp LEDs do not need special storage for moisture sensitivity.

Once the MBP is opened, XLamp MX-3 LEDs should be handled and stored as MSL 2a per JEDEC J-STD-033, meaning they have limited

exposure time before damage to the LED may occur during the soldering operation. The table on the right specifies the maximum exposure time in days depending on temperature and humidity conditions. LEDs with exposure time longer than the specified maximums must be baked according to the baking conditions listed below.

Temp.	Maximum Percent Relative Humidity						
	30%	40%	50%	60%	70%	80%	90%
35 °C	-	-	-	17	1	.5	.5
30 °C	-	-	-	28	1	1	1
25 °C	-	-	-	-	2	1	1
20 °C	-	-	-	-	2	1	1

### **Baking Conditions**

It is not necessary to bake all XLamp MX-3 LEDs. Only the LEDs that meet all of the following criteria must be baked:

- 1. LEDs that have been removed from the original MBP.
- 2. LEDs that have been exposed to a humid environment longer than listed in the Moisture Sensitivity section above.
- 3. LEDs that have not been soldered.

LEDs should be baked at 70 °C for 24 hours. LEDs may be baked on the original reels. Remove LEDs from the MBP before baking. Do not bake parts at temperatures higher than 70 °C. This baking operation resets the exposure time as defined in the Moisture Sensitivity section above.



### **NOTES - CONTINUED**

### **Storage Conditions**

XLamp MX-3 LEDs that have been removed from the original MBP but not soldered should be stored in one of the following ways:

- Store the parts in a rigid metal container with a tight-fitting lid. Verify that the storage temperature is <30 °C, and place fresh desiccant and an RH indicator in the container to verify that the RH is no greater than 60%.
- Store the parts in a dry, nitrogen-purged cabinet or container that actively maintains the temperature at <30° and the RH at no greater than 60%.
- For short-term store only: LEDs can be resealed in the original MBP soon after opening. Fresh desiccant may be needed. Use the included humidity indicator card to verify <60% RH.

If an environment of <60% RH is not available for storage, XLamp MX-3 LEDs should be baked (described above) before reflow soldering.

### **RoHS Compliance**

The levels of RoHS restricted materials in this product are below the maximum concentration values (also referred to as the threshold limits) permitted for such substances, or are used in an exempted application, in accordance with EU Directive 2011/65/EC (RoHS2), as implemented January 2, 2013. RoHS Declarations for this product can be obtained from your Cree LED representative or from the Product Ecology section of the Cree LED website.

### **REACH Compliance**

REACH substances of very high concern (SVHCs) information is available for this product. Since the European Chemical Agency (ECHA) has published notice of their intent to frequently revise the SVHC listing for the foreseeable future, please contact a Cree LED representative to insure you get the most up-to-date REACH SVHC Declaration. REACH banned substance information (REACH Article 67) is also available upon request.

### **UL® Recognized Component**

This product meets the requirements to be considered a UL Recognized Component with Level 4 enclosure consideration. The LED package or a portion thereof has been investigated as a fire and electrical enclosure per ANSI/UL 8750.


### **Vision Advisory**

WARNING: Do not look at an exposed lamp in operation. Eye injury can result. For more information about LEDs and eye safety, please refer to the LED Eye Safety application note.




### **MECHANICAL DIMENSIONS**

All measurements are ±.13 mm unless otherwise indicated.



### **Recommended FR4 Solder Pad**



**Recommended MCPCB Solder Pad** 

**Alternative Solder Pad** 




### **TAPE AND REEL**

All Cree LED carrier tapes conform to EIA-481D, Automated Component Handling Systems Standard.

Except as noted, all dimensions in mm.

All measurements are ±.25 mm unless otherwise indicated.





### **PACKAGING**

# Label with Cree Bin Code, Quantity, Reel ID

